

## Fleet Vehicle and Equipment Specification

Specification # - SUV-MD-4X4 (2-5-2015)

## SUV-MD-4X4

Medium Duty Sport Utility Vehicle Four (4) wheel Drive

Nissan Pathfinder 4x4

 ${}^{\star}\text{NOTE}$  - The following specification is the minimum requirements only. The actual awarded vehicle

may include features and options that excede the specification.

Scope This specification details The State of North Carolina's requirement for a medium duty,

4X4, full size sport utility vehicle. The medium duty sport utility vehicle and all required options will be designed and assembled in accordance with all applicable industry standards and comply with all governmental regulations as they apply to the operation of the vehicle described in this specification. This vehicle will be used for general transportation of personnel and light materials associated with the operation of a

government business.

## **BASE SPECIFICATIONS:**

General Wheelbase - 110 - 115 in.

Length (overall) - 195-200 in. Weight - 4,500 - 4,700 lbs.

GVWR - N/A

GCWR - N/A (5,000 lbs. (towing capacity))

Payload - N/A

Engine 3.5L DOHC, V6, 24 valve, FFV or equivalent

290 HP @ 6,500 RPM (net SAE) 255 lb.-ft. @ 4,000 RPM (net SAE)

Stainless steel exhaust Fuel - Regular 87 octane

Transmission Automatic - Electronic six (6) speed w OD

Rear axle ratio - 3.39 Electronic stability control All wheel drive (4X4)

Brakes Front - Disc-vented; Rear - Disc

ABS (Antilock brake system) four (4) wheel - 4 ABS channels

ABS driveline traction control

Electrical Battery - 650 CCA/58 amp. Hr. (Ah), HD with "rundown" protection

Alternator - 175 amp., heavy duty

Tires "LT" tires (size approved by manufacturer and consistent with offerings on same

model vehicle)

Spare - Full size mounted under body

Wheels Front/Rear - 17.0" X 7.50" steel, argent

Interior Equipment Air conditioning

Color -Gray Seats - Cloth Front - Dual bucket

Second row -60/40 split-bench Third row - 50/50 split bench

Safety air bags - Driver and passenger and head-curtain side impact

Driver & passenger head protection air bags

Occupancy sensor

Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.

Standard audio package- AM/FM - Manufacturers standard

Power steering

Cruise control

Tilt steering

Extra entry key (total 2 keys) Keyless Entry

Power door locks

Power windows

Floor mats - Front and rear (rubber) 12v DC power outlets (2)

Low Tire Pressure Warning (TPMS)

Seating capacity - 7

Exterior Equipment Color - White (manufacturer's standard)

Variable intermittent front windshield wipers

Power adjustable outside mirrors

Automatic "shift on the fly" four (4) wheel drive or equivalent

Fuel tank - 18.0 - 19.0 gal.

Skid plates for protection to underbody components for off-road travel

Emissions ULEV II

**OTHER:** 

Warranty Bumper to Bumper - 36 month/36,000 miles (Basic)

Powertrain - 60 month/60,000 miles

Corrosion Perforation - 60 month/unlimited distance Roadside Assistance - 60 month/60,000 miles Safety Restraint System - 60 month/60,000 miles

Approved Configurations

SUV-MD Front wheel drive only

Approved Options (all configurations)

CNG/LPG fuel capability - Requirement for engine only capability. Storage, fuel

ines

Day time running lights